

Abstract Submitted to the
The International Conference on Magnetism - ICM 2009
in Karlsruhe, Germany
July 26-31, 2009

Effect of Ag content on magnetic properties of (FePt)-Ag sputtered thin films

Paola Tiberto¹, Federica Celegato¹, Marco Coisson¹, Franco Vinai¹, Franca Albertini²,
Francesca Casoli², Simone Fabbri², Paolo Allia³

¹ *INRIM, Electromagnetism Division, Torino, Italy*

² *IMEM-CNR, Parma, Italy*

³ *Politecnico di Torino, DISMIC Dept., Torino, Italy*

Ordered FePt thin films deserved particular attention owing to their very large magnetocrystalline anisotropy making them attractive in high-density magnetic recording. The addition of an immiscible element such Ag promotes the formation of a granular FePt phase displaying a significant magnetoresistance effect (MR). Selected $(\text{Fe}_{53}\text{Pt}_{47})_{100-x}\text{-Ag}_x$ multilayers ($x = 0, 41, 54, 59, 70$ at %) were prepared by rf sputtering on a MgO(100) substrate. AFM/MFM imaging was exploited to study the topography and the magnetic structure of the samples. Room-temperature magnetization measurements were performed by an AGFM. A variety of magnetic phases characterised by different values of perpendicular anisotropy constant have been obtained by varying the Ag content. All multilayers containing Ag display a negative magnetoresistance effect at 300 K. The effect of Ag addition on the morphological and magnetic properties of the starting $\text{Fe}_{53}\text{Pt}_{47}$ system will be clarified.